

**Material Safety Data Sheet** 

Version:	2	Last change:	23-11-09	Date of issue:	23-08-09		
1. IDENTIF	CATION	OF THE SUBSTANCE	/ PREPARATI	ON AND COMPANY			
1.1 Produc	t identif	ier					
Product na	me:		2-Propa	2-Propanol			
Registratio	on numb	er (REACH):	01-211	01-2119457558-25-xxxx			
Index number in CLP Annex VI:			603-11	603-117-00-0			
EC number:			200-661-7				
CAS number:			67-63-0				
Synonyms/Trade name:			Isoprop	anol, isopropyl alcoho	I		
1.2 Releva	nt ident	ified uses of the substa	ince or mixture	and uses advised aga	inst		
Relevant identified uses:			Cleanin	g compound for optica	al lenses		
			Laborat	tory and analytical use			
Uses advised against:			Do not use for private purposes (household).				
			Food, d	rink and animal feedin	gstuffs		
1.3 Details	of the s	upplier of the safety d	ata sheet				
Company:			MCAT GmbH				
			Raiffois	enstrasse 35			

MCAT GmbH Raiffeisenstrasse 35 D-78166 Donaueschingen Tel: +49(0)771-92030800 e-Mail: sicherheit@mcat.de Emergency Telephone: +49(0)1703802299

# 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Flammable liquid (Category 2), H225 Serious eye damage/eye irritation (Category 2), H319 Specific target organ toxicity - single exposure (narcotic effects, drowsiness) (Category 3), H336 For the full text of the H-Statements mentioned in this Section, see Section 16 The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP) Signal word: Danger Pictograms GHS02, GHS07

Hazard statement(s) H225 H319 H336

Highly flammable liquid and vapour Causes serious eye irritation. May cause drowsiness or dizziness

# **Material Safety Data Sheet**

# Precautionary statement(s)

Precautionary statements - prevention P210

#### P233

Precautionary statements - response P305+P351+P338 Keep away from heat/sparks/open flames/hot surfaces. No smoking Keep container tightly closed

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

# 2.3 Other hazards

#### **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB

# 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances	
Ingredient name:	2-Propanol
Molecular formula:	C <sub>3</sub> H <sub>8</sub> O
Molar mass:	60,1 g/mol
REACH Reg. No:	01-2119457558-25-xxxx
CAS-No:	67-63-0
EC No:	200-661-7
Index No:	603-117-00-0

# 4. FIRST AID MEASURES

4.1 Description of first aid measures



General notes:	Take off contaminated clothing.
Following inhalation:	Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.
Following skin contact:	Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.
Following eye contact:	Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.
Following ingestion:	Rinse mouth. Call a doctor if you feel unwell.

**4.2 Most important symptoms and effects, both acute and delayed** Vomiting, Irritation, Dizziness, Drowsiness, Narcosis

# **4.3 Indication of any immediate medical attention and special treatment needed** none

# **Material Safety Data Sheet**

# **5. FIRE FIGHTING MEASURES**

5.1 Extinguishing media



# Suitable extinguishing media

Co-ordinate firefighting measures to the fire surroundings

Water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>) Unsuitable extinguishing media

water jet

# 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. **Hazardous combustion products** 

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

# 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures



# For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

**6.2 Environmental precautions** Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

# Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area

# 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Provision of sufficient ventilation. When not in use, keep containers tightly closed. Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. **Advice on general occupational hygiene** 

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

**Consideration of other advice** 

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15-25 °C

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# 8.1 Control parameters

# Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	500 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	1000 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	888 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

#### **Environmental values**

Relevant PNECs and other threshold levels					
Endpoint	Threshold level	Organism	Environmental compartment	Exposure time	
PNEC	140,9 mg/L	aquatic organisms	freshwater	short-term (single instance)	
PNEC	140,9 mg/L	aquatic organisms	marine water	short-term (single instance)	
PNEC	2251 mg/L	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	552 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	552 mg/kg	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	28 mg/kg	terrestrial organisms	soil	short-term (single instance)	

# **Material Safety Data Sheet**

# 8.2 Exposure controls Individual protection measures (personal protective equipment) Eye/face protection



Use safety goggle with side protection.



Hand protection: Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

Type of material: Material thickness: Breakthrough times of the glove material: Other protection measures: NBR (Nitrile rubber) 0,4 mm >480 minutes (permeation: level 6) Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Flame-retardant protective clothing.

**Respiratory protection** 



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C , colour code: Brown).

#### Environmental exposure controls

Keep away from drains, surface- and ground water.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemic	al properties
Physical state:	liquid
Colour:	colourless
Odour:	like alcohol
Odour threshold:	1-196 ppm
Melting point/freezing point:	-89 °C
Boiling point or initial boiling point and	82-83 °C at 1.013 hPa
boiling range:	
Flammability:	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit:	2 vol% (LEL) - 13,4 vol% (UEL)
Flash point:	12 °C (c.c.)
Auto-ignition temperature:	425 °C (DIN 51794)

# **Material Safety Data Sheet**

Decomposition temperature:	not relevant
pH (value) :	7 (20 °C)
Kinematic viscosity:	2,785 mm²/s at 20 °C
Dynamic viscosity:	2,2 mPa s at 20 °C
Water solubility:	miscible in any proportion
Partition coefficient n-octanol/water (log	0,05
value):	
Vapour pressure:	43 hPa at 20 °C
Density:	0,79 g/cm³ at 20 °C
Relative vapour density:	2,07 (air = 1)
Particle characteristics:	not relevant (liquid)
Oxidising properties:	none
9.2 Other information	
Information with regard to physical hazard classes:	There is no additional information.
Miscibility:	completely miscible with water
Temperature class (EU, acc. to ATEX):	T2
singenmental • histori-k-construct-construction • istorie • historie • interference • interferen	Maximum permissible surface temperature on
	the equipment: 300°C

# **10. STABILITY AND REACTIVITY**

#### **10.1 Reactivity**

It is a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air. May form explosive peroxides. If heated: Risk of ignition.

#### **10.2 Chemical stability**

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Exothermic reaction with:** strong oxidiser, Iron, Nitric acid, Strong acid, Aldehydes, Aluminium, Amines,

Danger of explosion: Chlorates, Nitro compound, Hydrogen peroxide, Phosgene

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### **10.5 Incompatible materials**

Rubber, different plastics, certain glass coatings

#### **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5. Peroxides.



#### **11. TOXICOLOGICAL INFORMATION**

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity				
Exposure route	Endpoint	Value	Species	Source
inhalation: vapour	LC50	37,5 mg/L/4h	rat	OECD-403
oral	LD50	5045 mg/kg	rat	RTECS
dermal	LD50	12800 mg/kg	rabbit	RTECS

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Respiratory or skin sensitisation**

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Inhalation: May cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

If swallowed: vomiting, nausea If in eyes: Causes serious eye irritation If inhaled: dizziness, fatigue, narcosis If on skin: repeated exposure may cause skin dryness or cracking

Other information: Headache, Vertigo, Dyspnoea

#### 11.2 Endocrine disrupting properties

Not listed.

#### 11.3 Information on other hazards

There is no additional information.

#### **12. ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	10000 mg/l	fish	ECHA	96 h

#### 12.2 Persistence and degradability

The substance is readily biodegradable.

ess of degradability		
Process	Degradation rate	Time
biotic/abiotic	95 %	21 d
oxygen depletion	53 %	5 d

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms. n-octanol/water (log KOW):

0,05

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

# 12.6 Endocrine disrupting properties

Not listed.

#### 12.7 Other adverse effects

Data are not available.

# **13. DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations. Sewage disposal-relevant information

Do not empty into drains.

# Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 3 flammable

HP 4 irritant - skin irritation and eye damage

# 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **14. TRANSPORT INFORMATION**

14.1 UN number:	UN 1219
14.2 UN proper shipping name:	Isopropanol
14.3 Transport hazard class(es):	3

# **Material Safety Data Sheet**

14.4 Packing group 14.5 Environmental hazards:	II non-environmentally hazardous acc. to the
14.6 Special precautions for user	dangerous goods regulations Provisions for dangerous goods (ADR) should be complied within the premises.
14.7 Maritime transport in bulk according to IMO instruments	The cargo is not intended to be carried in bulk.

#### **15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU) Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)						
Name of substance	Name acc. to inventory	CAS No	Restriction			
2-Propanol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	67-63-0	R3			
2-Propanol	flammable / pyrophoric	67-63-0	R40			
2-Propanol	substances in tattoo inks and permanent make-up	67-63-0	R75			

#### **Conditions of restriction**

R3:

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

2. Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:

- can be used as fuel in decorative oil lamps for supply to the general public, and,

- present an aspiration hazard and are labelled with H304,

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).

5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";

(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';

(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.'

#### R40:

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,

# **Material Safety Data Sheet**

- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
- decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (\*).

4. The aerosol dispensers referred to in para graphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

(\*) OJ L 147, 9.6.1975, p. 40.

#### R75:

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;

(ii) 0,01 % by weight, in all other cases;

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/20091, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;

(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Rinse-off products";

(ii) "Not to be used in products applied on mucous membranes";

(iii) "Not to be used in eye products";

(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;

(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix

# **Material Safety Data Sheet**

13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008. The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### Seveso Directive

2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
P5c	flammable liquids (cat. 2, 3)	5000-50000	51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b		

100%, 790 g/L

#### Deco-Paint Directive VOC content

Industrial Emissions Directive (IED)	
VOC content	100%, 790 g/L

# 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

# **16. OTHER INFORMATION**

#### List of relevant phrases (code and full text as stated in section 2 and 3)

- H225 Highly flammable liquid and vapour.
- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

This Health and Safety Information is correct to the best of our knowledge and belief at the data of its publication but we cannot accept liability for any loss, injury or damage which may result from it use. We shall ensure, so far as is reasonably practicable, that any revision of this data sheet is sent to all customers to whom we have directly supplied this substance, but must point out that it is the responsibility of any intermediate supplier to ensure that such revision is passed to the ultimate user. The information given in the data sheet is designed only as a guidance for safe handling, storage and the use of the substance. It is not a specification nor does it guarantee any specific properties. All chemicals should be handled by competent personnel, within a controlled environment.

Copyright MCAT GmbH. License granted to make unlimited paper copies for internal use only. We welcome any additional information about our product that customers have obtained by personal experience.